

# PLACER GOLD MINING 2023

## ATM Promining



FROM MINERS FOR MINERS  
WWW.TAMBANG.ID

# 2023



**TAMBANG.ID**

**DETECT IT. MINE IT. KEEP IT.**



# Alat Tambang


## ATM Promining™



Karpet Emas  
Segala jenis Karpet  
Tambang Emas



Dulang Emas  
Dulang modern dan  
efisien



Dredges  
Dompeng Emas  
Profesional




Konsentrator  
Konsentrasi Emas



Tromol Emas  
Gold Rotary Washers



Sluices Systems  
Kasbuk / Talang /  
Shaker / Skrin dll.



Smelter (Industri)  
Pabrik Pengolahan  
Emas dan Mineral



Detektor Emas  
Mendeteksi emas  
dulu. Supaya hemat  
waktu dan biaya.



## SPECIFICATION

- Distributor Line with 6 outlets
- 6 Sluice. Panjang per sluice 8350 mm
- Segmentation
  - Fine Gold Segments: 6
  - Medium Gold Segmented: 6
  - Coarser Gold Segment: 6
  - Subflow Gold Trap: 6
- [Optional: 8 Line Sluice System]



- very fine Gold
- fine Gold
- medium Gold
- coarser Gold



- Industrial Scale
- Production



~200-400 ton / hour\*  
average value: final capacity depends on material types.


## SLUICE SEGMENTATION

- |  |   |   |
|--|---|---|
| <ul style="list-style-type: none"> <li>• Stream Equalizer</li> <li>• Multiple Layered Mats</li> <li>• Filtration Mats</li> </ul> | <ul style="list-style-type: none"> <li>• Catch Mats</li> <li>• Various Types of Mats</li> <li>• Quick Clean Out System</li> <li>• Heavy Duty Vortex Mats</li> </ul> | <ul style="list-style-type: none"> <li>• Sluice Lids (Closed)</li> <li>• Various Hungarian Riffles</li> <li>• Various EXP Plates</li> <li>• Various Slick Plates</li> </ul> |
|--|---|---|



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



## SPECIFICATION

- Hopper Feeder
- Grizzly Screen
- TSF System (Triple Sluice Frame & Stands)
  - Dimensi 8350 x 3121 x 1250 mm
- Sluice Box Panjang 8350 mm
- 3 x Sluicing Lines
- Pump termasuk motor (Diesel)
- Double Pump System



- fine Gold
- medium Gold
- coarser Gold



- Industrial Scale
- Production



~150-300 ton / hour\*  
average value: final capacity depends on material types.


## SLUICE SEGMENTATION

- |  |   |   |
|--|---|---|
| <ul style="list-style-type: none"> <li>• Stream Equalizer</li> <li>• Multiple Layered Mats</li> <li>• Filtration Mats</li> </ul> | <ul style="list-style-type: none"> <li>• Catch Mats</li> <li>• Various Types of Mats</li> <li>• Quick Clean Out System</li> <li>• Heavy Duty Vortex Mats</li> </ul> | <ul style="list-style-type: none"> <li>• Sluice Lids (Closed)</li> <li>• Various Hungarian Riffles</li> <li>• Various EXP Plates</li> <li>• Various Slick Plates</li> </ul> |
|--|---|---|



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



## SPECIFICATION

- Hopper Feeder
- Grizzly Screen
- SGB800 Sluice System
  - 800 x 2200 x 200 mm
- Pump termasuk motor (Diesel)
- Mono Sluice Line
- Triple Terrace Sluice Line



- fine Gold
- medium Gold
- coarser Gold



- Industrial Scale
- Production



~120-300 ton / hour\*  
average value: final capacity depends on material types.

## SLUICE SEGMENTATION

- Stream Equalizer
- Multiple Layered Mats
- Filtration Mats
- Catch Mats
- Various Types of Mats
- Quick Clean Out System
- Heavy Duty Vortex Mats
- Sluice Lids (Closed)
- Various Hungarian Riffles
- Various EXP Plates
- Various Slick Plates



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



## SPECIFICATION

- Grizzly Hopper Screen
- Shaker Screen
- Scrubber Segment for Clay
- 2 Layered Rotary Washer Barrell
- Double Outlet (2 Different Sizes)
- On Ski for Drag and Drop Work Mode
- Hopper Monitoring Platform
- High Powered Water Sprayer System
- Splash Material Protection Wall
- Generator Set included
- Water Pumps included



- fine Gold
- medium Gold
- coarser Gold



- Industrial Scale
- Production



~240 ton / hour\*  
average value: final capacity depends on material types.

## SLUICE SEGMENTATION

- |  |  |  |
|--|--|--|
| <ul style="list-style-type: none"> <li>• <i>Twin Sluice</i></li> <li>• <i>2 x 620 cm</i></li> <li>• <i>Fully Segmented.</i></li> </ul> | <ul style="list-style-type: none"> <li>• <i>Stream Equalizer</i></li> <li>• <i>Filtration &amp; Catch Mats</i></li> <li>• <i>Mats for different Gold Sizes</i></li> <li>• <i>Multiple Mat Layers</i></li> <li>• <i>Heavy Duty Vortex Mats</i></li> </ul> | <ul style="list-style-type: none"> <li>• <i>Sluice Lids (Closed)</i></li> <li>• <i>Various Hungarian Riffles</i></li> <li>• <i>Various EXP Plates</i></li> <li>• <i>Various Slick Plates</i></li> <li>• <i>Quick Clean Out System</i></li> </ul> |
|--|--|--|



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



## SPECIFICATION

- Grizzly Screen Hopper
- Shaker Screen
- Scrubber Segment for Clay
- 2 Layered Rotary Washer Barrell
- Double Outlet (2 Different Sizes)
- On Ski for Drag and Drop Work Mode
- Hopper Monitoring Platform
- High Powered Water Sprayer System
- Splash Material Protection Wall
- Generator Set included
- Water Pumps included



- fine Gold
- medium Gold
- coarser Gold



- Industrial Scale
- Production



~120 ton / hour\*  
average value: final capacity depends on material types.

## SLUICE SEGMENTATION


- *Twin Sluice*
- *2 x 620*
- *Fully Segmented.*
- *Stream Equalizer*
- *Filtration & Catch Mats*
- *Mats for different Gold Sizes*
- *Multiple Mat Layers*
- *Heavy Duty Vortex Mats*
- *Sluice Lids (Closed)*
- *Various Hungarian Riffles*
- *Various EXP Plates*
- *Various Slick Plates*
- *Quick Clean Out System*



Google Rating  
4.9 ★★★★★

**From Miners For Miners**





- emas halus
- emas sedang
- emas kasar



- Industrial Scale
- Test Pitting
- Exploration
- Production



~100 ton / hour\*  
average value: final capacity depends on material types.

## SPECIFICATION

- Large Shaker Screen (Max Feed ø 34 cm Rocks)
- Segmented Final Twin Sluice
- 2 x 16 HP Engine (Gasoline)
- 2 x 22 HP Engine (Gasoline)
- 2 x Hydraulic Gearbox (4 ton load)
- 52 Water Jet Outlets (High Power)
- 3 Types of Unbalanced Flywheels
- 10" Water Container with 8 Valves
- 2 x 5.0" out and 6.0" Intake Centrifugal Pump
- Suction Feed (via Suction Nozzle)
- Excavator Feed (via Hopper)
- Conveyor Feed (via Conveyor)
- Conveyor Line (8 m)
- Tsunami Blaster Nozzle Feature
- Multiple Jet Spray and Water Intake
- 28 m Spiral Hose (5")
- 35 m Pressure Hose, (2")
- Hose clamps, bolts and nuts.
- Drag and Drop Set Up.

## SLUICE SYSTEM

Shaker & Classification 520 x 158 x 82 cm (adjustable)  
Sluice 1: 640 x 80 x 22 cm  
Sluice 2: 680 x 80 x 22 cm

- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Segmented Final Twin Sluice*
- *Diversified Sluice Matting*

- *Quick Handle Set Up*
- *Multi Classifiers: 6 + 10 mm*
- *3 x EXP Segment*
- *5 x Hungarian Riffles Types*
- *MLGM Gold Mat*



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



## Marauder

### SPECIFICATION

- Large Shaker Screen (Max Feed ø 34 cm Rocks)
- Segmented Final Twin Sluice
- 16 HP Focus Engine (Gasoline)
- 2 x 23 HP Focus Engine (Gasoline)
- 2 x Hydraulic Gearbox (3 ton load)
- 28 Water Jet Outlets (High Power)
- 6" Water Container with 6 Valves
- Hydraulic WP100 Gear Box
- 2 x 4.0" out and 5.0" Intake Centrifugal Pump
- Suction Feed (via Suction Nozzle)
- Manual Feed (via Hopper)
- Tsunami Blaster Nozzle Feature
- Multiple Jet Spray and Water Intake
- 22 m Spiral Hose (4")
- 35 m Pressure Hose, (2")
- Hose clamps, bolts and nuts.
- Drag and Drop Set Up.



- emas halus
- emas sedang
- emas kasar



- Semi Industrial Scale
- Test Pitting
- Exploration
- Production



~80 ton / hour\*  
average value: final capacity depends on material types.

### SLUICE SYSTEM

Vibro & Shaker: 620 x 200 cm  
Sluice 1: 480 x 70 x 22 cm  
Sluice 2: 480 x 70 x 22 cm

- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Segmented Final Twin Sluice*
- *Diversified Sluice Matting*

- *Quick Handle Set Up*
- *Multi Classifiers: 6 + 10 mm*
- *3 x EXP Segment*
- *5 x Hungarian Riffles Types*
- *MLGM Gold Mat*



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# Placer Master

Professional Semi Industrial  
Placer Mining Gear



## SPECIFICATION

- Multiple Integrated Processing Steps
- Adjustable Hopper Feeder
- Large Shaker Screen
- Heavy Duty. Max Feed.
- Long Scrubber Segment
- Middle Runaway Sluice (Coarser Gold)
- Segmented Final Sluice
- Full Motorized
- Hydraulic WP100 Gear Box
- Intake Centrifugal Pump
- Suction Feed (via Suction Nozzle)
- Manual Feed (via Hopper)
- Tsunami Blaster Nozzle Feature
- Multiple Jet Spray and Water Intake
- 12 m Spiral Hose (4")
- 22 m Pressure Hose, (1.5")
- Hose clamps, bolts and nuts.
- Massive Capacity Set Up



- emas halus
- emas sedang
- emas kasar



- Semi Industrial Scale
- Testpitting
- Exploration
- Production



60 ton / hour\*  
average value: final capacity  
depends on material types.

## SLUICE SYSTEM

Shaker Deck: Heavy Duty  
Trommel Diameter: 60 cm  
Sluice 1: 240 cm  
Sluice 2: 240 cm

- Subflow Nugget Trap
- Stream Equalizer
- Diversified Sluice Matting
- MLGM Gold Mat

- Quick Handle Set Up
- Multi Classifiers: 6 + 10 mm
- 3 x EXP Segment
- 3 x Hungarian Riffles



Google Rating  
4.9 ★★★★★

From Miners For Miners

# XT Mauler

Premium Guerilla Mining  
Trommel Washer



- 13 HP Focus Engine (Gasoline)
- 16 HP Focus Engine (Gasoline)
- Hydraulic WP60 Gear Box
- 3.0" out and 4.0" Intake Centrifugal Pump
- Suction Feed (Suction Nozzle)
- Manual Feed (Hopper)
- Excavator Feed (PC50-100)
- Tsunami Blaster Nozzle Feature
- Adjustable Hopper Feeder
- Scraper Blade and Scrubber Segment
- Multiple Jet Spray and Water Intake
- 14 m Spiral Hose (4")
- 22 m Pressure Hose, (1.5")
- Hose clamps, bolts and nuts.
- Massive Capacity Set Up
- 3 Operator Cukup.



- emas halus
- emas sedang
- emas kasar



seperti 50 - 95  
orang pendulang



Untuk tanah termasuk  
tanah liat yang  
m mengandung emas.

## SLUICE SYSTEM

Sluice: 300 x 70 x 26 cm

Shaker Deck: 130 x 55 x 28 cm

Trommel Diameter: 35 cm

- Subflow Nugget Trap
- Stream Equalizer
- Diversified Sluice Matting
- MLGM Gold Mat


- Quick Handle Set Up
- Multi Classifiers: 6 + 10 mm
- 3 x EXP Segment
- 3 x Hungarian Riffles



Google Rating  
4.9 ★★★★★

From Miners For Miners





Guerilla Mining Trommel Washer

## SPECIFICATION

- 9 HP Focus Engine (Gasoline)
- 13 HP Focus Engine (Gasoline)
- Hydraulic WP60 Gear Box
- 3.0" out and 4.0" Intake Centrifugal Pump
- Suction Feed (Suction Nozzle)
- Manual Feed (Hopper)
- Tsunami Blaster Nozzle Feature
- Adjustable Hopper Feeder
- Scrapper Blade and Scrubber Segment
- Multiple Jet Spray and Water Intake
- 12 m Spiral Hose (4")
- 22 m Pressure Hose, (1.5")
- Hose clamps, bolts and nuts.
- Massive Capacity Set Up
- 3 Operator Cukup.



- emas halus
- emas sedang
- emas kasar



seperti 40 - 75 orang pendulang



Untuk tanah termasuk tanah liat yang mengandung emas.

## SLUICE SYSTEM

Sluice: 180 x 50 x 22 cm  
Trommel Diameter: 35 cm


- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Diversified Sluice Matting*
- *MLGM Gold Mat*
- *Quick Handle Set Up*
- *Multi Classifiers: 6 + 10 mm*
- *3 x EXP Segment*
- *3 x Hungarian Riffles*



Google Rating  
4.9 ★★★★★

**From Miners For Miners**





# PROFESSIONAL COMBO HIGHBANKERS



FROM MINERS FOR MINERS  
WWW.TAMBANG.ID

# 2022





# Processor

Combo Highbanker [6 inch]

## SPECIFICATION

- Twin Motor. 2 x 16 HP. Gasoline.
- *Material Hose: ø 6 inch. Length: 10 m*
- *Pressure Hose: 18 m*
- *Rugged Stand System*
- *Hopper Feeder with Grizzly Bars*
- *Tsunami Suction Nozzle.*
- *Hybrid Feed (Suction & Hopper)*
- *Multi Spray Jet*



- emas halus
- emas sedang
- emas kasar



seperti 40 - 65 orang pendulang

## SLUICE SYSTEM

Sluice:  
370 x 70 x 28 cm

- *Subflow Nugget Trap*
- *2 x Stainless Steel Riffles*
- *4 x EXP Segments*
- *3 x Hungarian Riffles*
- *Diversified Sluice Matting*
- *Quick Handle Bars*
- *Full Segmentation*
- *Multi classifiers: 6 + 10 mm*
- *Stream Equalizer*
- *Plug & Play*



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# ProspectoR

Combo Highbanker [5 inch]

## SPECIFICATION

- Twin Motor. 2 x 13 HP. Gasoline.
- Material Hose:  $\varnothing$  5 inch. Length: 10 m
- Pressure Hose: 18 m
- Rugged Stand System
- Hopper Feeder with Grizzly Bars
- Tsunami Suction Nozzle.
- Hybrid Feed (Suction & Hopper)
- Multi Spray Jet



- emas halus
- emas sedang
- emas kasar



seperti 30 - 45 orang pendulang

## SLUICE SYSTEM

Sluice:  
320 x 60 x 22 cm

- Subflow Nugget Trap
- 2 x Stainless Steel Riffles
- 4 x EXP Segments
- 3 x Hungarian Riffles
- Diversified Sluice Matting
- Quick Handle Bars
- Full Segmentation
- Multi classifiers: 6 + 10 mm
- Stream Equalizer
- Plug & Play



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# Seeker

Combo Highbanker [4 inch]



## SPECIFICATION

- Single Motor. 13 HP. Gasoline.
- Material Hose:  $\varnothing$  4 inch. Length: 8 m
- Pressure Hose: 10 m
- Rugged Stand System
- Hopper Feeder with Grizzly Bars
- Tsunami Suction Nozzle.
- Hybrid Feed (Suction & Hopper)
- Multi Spray Jet



- emas halus
- emas sedang
- emas kasar



seperti 21 - 40 orang pendulang

## SLUICE SYSTEM


Sluice:  
160 x 50 x 16 cm


- Subflow Nugget Trap
- 2 x Stainless Steel Riffles
- 3 x EXP Segments
- 3 x Hungarian Riffles
- Diversified Sluice Matting
- Quick Handle Bars
- Full Segmentation
- Multi classifiers: 6 + 10 mm
- Plug & Play
- Stream Equalizer



Google Rating  
4.9 ★★★★★

**From Miners For Miners**





# PROFESSIONAL GOLD DREDGES 2022



**FROM MINERS FOR MINERS**  
[WWW.TAMBANG.ID](http://WWW.TAMBANG.ID)



# Xstream Dragon

Production & Concentrating Gold Dredge [8 inch]



- Triple Motor (3 x 22 hp) / gasoline
- Double Sluice System
- Tsunami Nozzle: 8 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: ø 8 inch (6 m)
- Pressure Hose (22 m)
- All pumps and hoses included.
- 3 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas sangat halus
- emas halus
- emas sedang
- emas kasar



seperti 70 - 85 orang pendulang

## SLUICE SYSTEM

**For professional miners. Industrial Scale.**

Primary Sluice:  
360 x 100 x 28 cm

Secondary Sluice: Yes

- Massive Capacity Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Concentrator Feeder Box

- Quick Handle Bars
- Catch Bucket
- Auto Reprocessing
- Concentrating Sluice
- Multi (3) EXP Segment
- 3 x Hungarian Riffles



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# Spyro XT

Concentrating Gold Dredge [8 inch]


- Double Motor (2 x 23-25 hp) / gasoline
- 2 x Venturi Blower Jet Set
- Air Compressor
- Double Sluice System
- Tsunami Nozzle: 8 Inch
- Blaster Nozzle Feature: Yes
- Material Hose (6 m)
- Pressure Hose (14 m)
- All pumps and hoses included.
- 2 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene pontoons.



- emas sangat halus
- emas halus
- emas sedang
- emas kasar



seperti 65 - 75 orang pendulang




## SLUICE SYSTEM

Primary Sluice:  
260 x 85 x 35 cm

Secondary Sluice:  
230 x 58 x 15 cm

- Xstream XT Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Concentrator Feeder Box

- Quick Handle Bars
- Catch Bucket
- Auto Reprocessing
- Concentrating Sluice
- Multi (3) EXP Segment
- 3 x Hungarian Riffles



Google Rating  
4.9 ★★★★★

From Miners For Miners



# Spyro STD

Professional Gold Dredge [8 inch]



- Double Motor (2 x 23-25 hp) / Gasoline
- 2 x Venturi Blower Jet Set
- Air Compressor
- Tsunami Nozzle: 8 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: 6 m
- All pumps and hoses included.
- 2 sets: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar



seperti 65 - 75 orang pendulang

## SLUICE SYSTEM

Primary Sluice:  
260 x 85 x 35 cm



- Spyro STD
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Quick Handle Bars
- Full Segmentation
- Multi (3) EXP Segment
- 2 x Hungarian Riffles
- Plug & Play



Google Rating  
4.9 ★★★★★

**From Miners For Miners**





Google Rating  
4.9 ★★★★★

From Miners For Miners



# Scylla XT

Concentrating Gold Dredge [6 inch]


- Double Motor (2 x 13 hp) / gasoline
- 2 Venturi Blower Jets Sets
- Air compressor
- Double Sluice System
- Tsunami Nozzle: 6 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: ø 6 inch (6 m)
- Pressure Hose (14 m)
- All pumps and hoses included.
- Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas sangat halus
- emas halus
- emas sedang
- emas kasar



seperti 55 - 65 orang pendulang



## SLUICE SYSTEM

Primary Sluice:  
180 x 65 x 28 cm

Secondary Sluice:  
160 x 52 x 14 cm

- Xstream XT Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Concentrator Feeder Box

- Quick Handle Bars
- Catch Bucket
- Auto Reprocessing
- Concentrating Sluice
- Multi (3) EXP Segment
- 3 x Hungarian Riffles



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# Scylla STD

Professional Gold Dredge [6 inch]

- Double Motor (2 x 13 hp) / gasoline
- Tsunami Nozzle: 6 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: ø 6 inch (6 m)
- Pressure Hose (14 m)
- All pumps and hoses included.
- 1 Set: Diving Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar



seperti 55 - 65 orang pendulang

## SLUICE SYSTEM

Primary Sluice:  
80 x 65 x 24 cm

- STD Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Quick Handle Bars
- 7 Inch Flare
- Multi EXP Segment
- 2 x Hungarian Riffles



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# Taipan Dredge

Scouting Gold Dredge [4 inch]



- Focus Power (9 hp) / gasoline
- Segmented Sluice System
- Tsunami Nozzle: 4 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: ø 4 inch (6 m)
- Pressure Hose (7 m)
- All pumps and hoses included.
- 1 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar



seperti 15 - 35 orang pendulang

## SLUICE SYSTEM

Primary Sluice:  
140 x 50 x 16 cm

- Slim Focus Set Up
- Scouting Dredge
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Quick Handle Bars
- Multi EXP Segment
- Hungarian Riffles
- Diversified Sluice Matting
- Small but efficient.



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# Aventurer

Scouting Gold Dredge [5 inch]



- Focus Power (13 hp) / gasoline
- Segmented Sluice System
- Tsunami Nozzle: 5 Inch
- Blaster Nozzle Feature: Yes
- Material Hose:  $\varnothing$  5 inch (6 m)
- Pressure Hose (7 m)
- All pumps and hoses included.
- 1 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar



seperti 25 - 45 orang pendulang

## SLUICE SYSTEM

Primary Sluice:  
150 x 60 x 18 cm

Secondary Sluice:  
Yes


- Slim Focus Set Up
- Scouting Dredge
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates

- Quick Handle Bars
- Multi EXP Segment
- Hungarian Riffles
- Diversified Sluice Matting



Google Rating  
4.9 ★★★★★

**From Miners For Miners**



# FOX DREDGE

Scouting Gold Dredge [2 inch]



**FOX**  
GOLD DREDGE

- Focus Engine 2 hp
- Segmented Sluice System
- Fox Suction Nozzle: 2 Inch
- Material Hose
- Pressure Hose
- All pumps and hoses included.
- 1 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas sedang
- emas kasar



seperti 15-20 orang pendulang

## SLUICE SYSTEM


Sluice:  
110 cm

- Slim Focus Set Up
- Scouting Dredge
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Quick Handle Bars
- Multi EXP Segment
- Hungarian Riffles
- Diversified Sluice Matting



Google Rating  
4.9 ★★★★★

**From Miners For Miners**





"You want **Gold?** Then go get it. Gold is for those that get up."




www.tambang.id



# BELAJAR PENDETEKSIAN DAN PENGOLAHAN EMAS

[WWW.TAMBANG.ID/BLOG](http://WWW.TAMBANG.ID/BLOG)





## Apa ada pertanyaan?

Apa Anda masih bingung alat yang mana yang cocok untuk Bapak?  
Tidak masalah.

## Silahkan hubungi kami langsung. Kita bantu.

Tambang harus dimulai dengan pengetahuan. Anda harus bisa menjawab pertanyaan-pertanyaan dasar berikut sehingga kami dapat membuat rekomendasi yang tepat untuk Anda.

1. Jenis emas apa yang Anda miliki di lokasi?
2. Berapa ukuran minimum dan maksimum emas Anda?
3. Seperti apa lokasinya?
4. Berapa banyak materi yang Anda ingin proses per jam atau hari?
5. Berapa banyak emas yang Anda miliki per m<sup>3</sup> atau ton bahan? (ppm)

## Do you have questions?

Or you don't know which gear is suitable for you? No problem.

## Just contact us and we help you out.

Mining starts with knowledge. You need to be able to answer the following basic questions so that we can make a proper recommendation for you.

1. What type of Gold do you have at site?
2. The Gold's minimum and maximum size?
3. What is the location like?
4. How much material do you want to process per hour or day?
5. How much Gold do you have per m<sup>3</sup> or ton material? (ppm)

*If you are a professional miner or geologist we will talk your language with you. If you are a novice miner we will use **simple, understandable language**. No worries.*



Google Rating  
4.9 ★★★★★

**From Miners For Miners**

# ATM Promining™

## From Miners For Miners

Google Rating  
4.9 ★★★★★



### PT Xpertum Henze Karsa

[www.tambang.id](http://www.tambang.id) [service@tambang.id](mailto:service@tambang.id)

#### Headquarters Jakarta

Kawasan Epicentrum. South Walk Epiwalk. F/3. A306-307  
Jl. H. R. Rasuna Said. Karet Kuningan. Jakarta

#### Production Facility

Jl. Kavling BPK, Desa Jl. Cipecang No.mor 15, Cimanggis,  
Kecamatan Bojonggede, Kabupaten Bogor, Jawa Barat 16920

#### Jam Operasional

Senin - Kamis: 9.00 - 18.00

Jumat: 9.00 - 11.30, 12.45 - 18.00

Sabtu / Minggu: tutup, tapi bisa dihubungi mll Hp/ WA.

Tel: 021 7992077

WA / HP: 0812 89401406

Email [info@tambang.id](mailto:info@tambang.id)

