




PLACER GOLD MINING 2022



ATM Promining

Guerilla, Semi Industrial and Industrial Scale



FROM MINERS FOR MINERS
WWW.TAMBANG.ID

2022



The Mauler

Guerilla Mining Trommel Washer

SPECIFICATION

- 9 HP Focus Engine (Gasoline)
- 13 HP Focus Engine (Gasoline)
- Hydraulic WP60 Gear Box
- 3.0" out and 4.0" Intake Centrifugal Pump
- Suction Feed (Suction Nozzle)
- Manual Feed (Hopper)
- Tsunami Blaster Nozzle Feature
- Adjustable Hopper Feeder
- Scrapper Blade and Scrubber Segment
- Multiple Jet Spray and Water Intake
- 12 m Spiral Hose (4")
- 22 m Pressure Hose, (1.5")
- Hose clamps, bolts and nuts.
- Massive Capacity Set Up
- 3 Operator Cukup.



- emas halus
- emas sedang
- emas kasar



seperti 40 - 75 orang pendulang




Untuk tanah termasuk tanah liat yang mengandung emas.

SLUICE SYSTEM

Sluice: 180 x 50 x 22 cm
Trommel Diameter: 35 cm

- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Diversified Sluice Matting*
- *MLGM Gold Mat*
- *Quick Handle Set Up*
- *Multi Classifiers: 6 + 10 mm*
- *3 x EXP Segment*
- *3 x Hungarian Riffles*



Google Rating
4.9 ★★★★★

From Miners For Miners

XT Mauler

Premium Guerilla Mining
Trommel Washer



SPECIFICATION

- 13 HP Focus Engine (Gasoline)
- 16 HP Focus Engine (Gasoline)
- Hydraulic WP60 Gear Box
- 3.0" out and 4.0" Intake Centrifugal Pump
- Suction Feed (Suction Nozzle)
- Manual Feed (Hopper)
- Tsunami Blaster Nozzle Feature
- Adjustable Hopper Feeder
- Scraper Blade and Scrubber Segment
- Multiple Jet Spray and Water Intake
- 14 m Spiral Hose (4")
- 22 m Pressure Hose, (1.5")
- Hose clamps, bolts and nuts.
- Massive Capacity Set Up
- 3 Operator Cukup.



- emas halus
- emas sedang
- emas kasar



seperti 50 - 95
orang pendulang



Untuk tanah termasuk
tanah liat yang
mengandung emas.

SLUICE SYSTEM


Sluice: 300 x 70 x 26 cm

Shaker Deck: 130 x 55 x 28 cm

Trommel Diameter: 35 cm

- Subflow Nugget Trap
- Stream Equalizer
- Diversified Sluice Matting
- MLGM Gold Mat

- Quick Handle Set Up
- Multi Classifiers: 6 + 10 mm
- 3 x EXP Segment
- 3 x Hungarian Riffles



Google Rating
4.9 ★★★★★

From Miners For Miners



Placer Master

Professional Semi Industrial
Placer Mining Gear



SPECIFICATION

- 5 Integrated Processing Steps
- Adjustable Hopper Feeder
- Large Shaker Screen
- Heavy Duty. Max Feed \varnothing 34 cm Boulders.
- Long Scrubber Segment
- Middle Runaway Sluice (Coarser Gold)
- Segmented Final Sluice
- 16 HP Focus Engine (Gasoline)
- 2 x 16 HP Focus Engine (Gasoline)
- Hydraulic WP100 Gear Box
- 3.0" out and 4.0" Intake Centrifugal Pump
- Suction Feed (via Suction Nozzle)
- Manual Feed (via Hopper)
- Tsunami Blaster Nozzle Feature
- Multiple Jet Spray and Water Intake
- 12 m Spiral Hose (4")
- 22 m Pressure Hose, (1.5")
- Hose clamps, bolts and nuts.
- Massive Capacity Set Up



- emas halus
- emas sedang
- emas kasar



- Semi Industrial Scale
- Testpitting
- Exploration
- Production




60 ton / hour*
average value: final capacity
depends on material types.

SLUICE SYSTEM

Shaker Deck: Heavy Duty
Trommel Diameter: 60 cm
Sluice 1: 240 x 60 x 22 cm
Sluice 2: 240 x 60 x 22 cm

- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Diversified Sluice Matting*
- *MLGM Gold Mat*

- *Quick Handle Set Up*
- *Multi Classifiers: 6 + 10 mm*
- *3 x EXP Segment*
- *3 x Hungarian Riffles*



Google Rating
4.9 ★★★★★

From Miners For Miners



Marauder

SPECIFICATION

- Large Shaker Screen (Max Feed ø 34 cm Rocks)
- Segmented Final Twin Sluice
- 16 HP Focus Engine (Gasoline)
- 2 x 23 HP Focus Engine (Gasoline)
- 2 x Hydraulic Gearbox (3 ton load)
- 28 Water Jet Outlets (High Power)
- 6" Water Container with 6 Valves
- Hydraulic WP100 Gear Box
- 2 x 4.0" out and 5.0" Intake Centrifugal Pump
- Suction Feed (via Suction Nozzle)
- Manual Feed (via Hopper)
- Tsunami Blaster Nozzle Feature
- Multiple Jet Spray and Water Intake
- 22 m Spiral Hose (4")
- 35 m Pressure Hose, (2")
- Hose clamps, bolts and nuts.
- Drag and Drop Set Up.



- emas halus
- emas sedang
- emas kasar



- Semi Industrial Scale
- Test Pitting
- Exploration
- Production




~80 ton / hour*
average value: final capacity depends on material types.

SLUICE SYSTEM

Vibro & Shaker: 620 x 200 cm
Sluice 1: 480 x 70 x 22 cm
Sluice 2: 480 x 70 x 22 cm


- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Segmented Final Twin Sluice*
- *Diversified Sluice Matting*

- *Quick Handle Set Up*
- *Multi Classifiers: 6 + 10 mm*
- *3 x EXP Segment*
- *5 x Hungarian Riffles Types*
- *MLGM Gold Mat*



Google Rating
4.9 ★★★★★

From Miners For Miners



- emas halus
- emas sedang
- emas kasar



- Industrial Scale
- Test Pitting
- Exploration
- Production



~100 ton / hour*
average value: final capacity
depends on material types.

SPECIFICATION


- Large Shaker Screen (Max Feed ø 34 cm Rocks)
- Segmented Final Twin Sluice
- 2 x 16 HP Engine (Gasoline)
- 2 x 22 HP Engine (Gasoline)
- 2 x Hydraulic Gearbox (4 ton load)
- 52 Water Jet Outlets (High Power)
- 3 Types of Unbalanced Flywheels
- 10" Water Container with 8 Valves
- 2 x 5.0" out and 6.0" Intake Centrifugal Pump
- Suction Feed (via Suction Nozzle)
- Excavator Feed (via Hopper)
- Conveyor Feed (via Conveyor)
- Conveyor Line (8 m)
- Tsunami Blaster Nozzle Feature
- Multiple Jet Spray and Water Intake
- 28 m Spiral Hose (5")
- 35 m Pressure Hose, (2")
- Hose clamps, bolts and nuts.
- Drag and Drop Set Up.

SLUICE SYSTEM

Shaker & Classification 520 x 158 x 82 cm (adjustable)
Sluice 1: 640 x 80 x 22 cm
Sluice 2: 680 x 80 x 22 cm

- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Segmented Final Twin Sluice*
- *Diversified Sluice Matting*

- *Quick Handle Set Up*
- *Multi Classifiers: 6 + 10 mm*
- *3 x EXP Segment*
- *5 x Hungarian Riffles Types*
- *MLGM Gold Mat*



Google Rating
4.9 ★★★★★

From Miners For Miners



SPECIFICATION

- Shaker Screen
- Scrubber Segment for Clay
- 2 Layered Rotary Washer Barrell
- Double Outlet (2 Different Sizes)
- On Ski for Drag and Drop Work Mode
- Hopper Monitoring Platform
- High Powered Water Sprayer System
- Splash Material Protection Wall
- Generator Set included
- Water Pumps included



- fine Gold
- medium Gold
- coarser Gold




- Industrial Scale
- Production



~120 ton / hour*
average value: final capacity depends on material types.

SLUICE SEGMENTATION

- | | | |
|---|--|--|
| <ul style="list-style-type: none"> • <i>Twin Sluice</i> • <i>2 x 620 x 80 cm</i> • <i>Fully Segmented.</i> | <ul style="list-style-type: none"> • <i>Stream Equalizer</i> • <i>Filtration & Catch Mats</i> • <i>Mats for different Gold Sizes</i> • <i>Multiple Mat Layers</i> • <i>Heavy Duty Vortex Mats</i> | <ul style="list-style-type: none"> • <i>Sluice Lids (Closed)</i> • <i>Various Hungarian Riffles</i> • <i>Various EXP Plates</i> • <i>Various Slick Plates</i> • <i>Quick Clean Out System</i> |
|---|--|--|



Google Rating
4.9 ★★★★★

From Miners For Miners



SPECIFICATION

- Shaker Screen
- Scrubber Segment for Clay
- 2 Layered Rotary Washer Barrell
- Double Outlet (2 Different Sizes)
- On Ski for Drag and Drop Work Mode
- Hopper Monitoring Platform
- High Powered Water Sprayer System
- Splash Material Protection Wall
- Generator Set included
- Water Pumps included



- fine Gold
- medium Gold
- coarser Gold




- Industrial Scale
- Production



~240 ton / hour*
average value: final capacity depends on material types.

SLUICE SEGMENTATION

- *Twin Sluice*
- *2 x 620 x 80 cm*
- *Fully Segmented.*
- *Stream Equalizer*
- *Filtration & Catch Mats*
- *Mats for different Gold Sizes*
- *Multiple Mat Layers*
- *Heavy Duty Vortex Mats*
- *Sluice Lids (Closed)*
- *Various Hungarian Riffles*
- *Various EXP Plates*
- *Various Slick Plates*
- *Quick Clean Out System*



Google Rating
4.9 ★★★★★

From Miners For Miners





SPECIFICATION

- Distributor Line: 12 meter with 8 Outlets
- Sluice 1: 6 meter for coarser Gold
- Sluice 2: 6 meter: For Coarse and Medium Gold
- Sluice 3: 6 meter: For Medium Gold
- Sluice 4: 6 meter: For Medium and Fine Gold
- Sluice 5 - 8: 6 meter: For Fine Gold
- End Sluice: 12 meter. Diversified Matting.



- very fine Gold
- fine Gold
- medium Gold
- coarser Gold




- Industrial Scale
- Production



~200-400 ton / hour*
average value: final capacity depends on material types.

SLUICE SEGMENTATION

- Stream Equalizer
- Multiple Layered Mats
- Filtration Mats
- Catch Mats
- Various Types of Mats
- Quick Clean Out System
- Heavy Duty Vortex Mats
- Sluice Lids (Closed)
- Various Hungarian Riffles
- Various EXP Plates
- Various Slick Plates



Google Rating
4.9 ★★★★★

From Miners For Miners



- fine Gold
- medium Gold
- coarser Gold

SPECIFICATION

- Distributor Line: 8 meter with 4 Outlets
- Sluice 1: 6 meter for coarser Gold
- Sluice 2: 6 meter: For Coarse and Medium Gold
- Sluice 3: 6 meter: For Medium Gold
- Sluice 4: 6 meter: For Medium and Fine Gold




- Industrial Scale
- Production



~150-300 ton / hour*
average value: final capacity depends on material types.


SLUICE SEGMENTATION

- Stream Equalizer
- Multiple Layered Mats
- Filtration Mats
- Catch Mats
- Various Types of Mats
- Quick Clean Out System
- Heavy Duty Vortex Mats
- Sluice Lids (Closed)
- Various Hungarian Riffles
- Various EXP Plates
- Various Slick Plates



Google Rating
4.9 ★★★★★

From Miners For Miners



PROFESSIONAL COMBO HIGHBANKERS



FROM MINERS FOR MINERS
 WWW.TAMBANG.ID

2022



Processor

Combo Highbanker [6 inch]

SPECIFICATION

- Single Motor. 2 x 16 HP. Gasoline.
- *Material Hose: ø 6 inch. Length: 10 m*
- *Pressure Hose: 18 m*
- *Rugged Stand System*
- *Hopper Feeder with Grizzly Bars*
- *Tsunami Suction Nozzle.*
- *Hybrid Feed (Suction & Hopper)*
- *Multi Spray Jet*



- emas halus
- emas sedang
- emas kasar



seperti 40 - 65 orang pendulang

SLUICE SYSTEM

Sluice:
370 x 70 x 28 cm

- *Subflow Nugget Trap*
- *2 x Stainless Steel Riffles*
- *4 x EXP Segments*
- *3 x Hungarian Riffles*
- *Diversified Sluice Matting*
- *Quick Handle Bars*
- *Full Segmentation*
- *Multi classifiers: 6 + 10 mm*
- *Stream Equalizer*
- *Plug & Play*



Google Rating
4.9 ★★★★★

From Miners For Miners



ProspectoR

Combo Highbanker [5 inch]

SPECIFICATION

- Single Motor. 2 x 13 HP. Gasoline.
- Material Hose: \varnothing 5 inch. Length: 10 m
- Pressure Hose: 18 m
- Rugged Stand System
- Hopper Feeder with Grizzly Bars
- Tsunami Suction Nozzle.
- Hybrid Feed (Suction & Hopper)
- Multi Spray Jet



- emas halus
- emas sedang
- emas kasar



seperti 30 - 45 orang pendulang

SLUICE SYSTEM

Sluice:
320 x 60 x 22 cm

- Subflow Nugget Trap
- 2 x Stainless Steel Riffles
- 4 x EXP Segments
- 3 x Hungarian Riffles
- Diversified Sluice Matting
- Quick Handle Bars
- Full Segmentation
- Multi classifiers: 6 + 10 mm
- Stream Equalizer
- Plug & Play



Google Rating
4.9 ★★★★★

From Miners For Miners



Seeker

Combo Highbanker [4 inch]

SPECIFICATION

- Single Motor. 13 HP. Gasoline.
- Material Hose: \varnothing 4 inch. Length: 8 m
- Pressure Hose: 10 m
- Rugged Stand System
- Hopper Feeder with Grizzly Bars
- Tsunami Suction Nozzle.
- Hybrid Feed (Suction & Hopper)
- Multi Spray Jet



- emas halus
- emas sedang
- emas kasar



seperti 21 - 40 orang pendulang

SLUICE SYSTEM

Sluice:
160 x 50 x 16 cm

- Subflow Nugget Trap
- 2 x Stainless Steel Riffles
- 3 x EXP Segments
- 3 x Hungarian Riffles
- Diversified Sluice Matting
- Quick Handle Bars
- Full Segmentation
- Multi classifiers: 6 + 10 mm
- Plug & Play
- Stream Equalizer



Google Rating
4.9 ★★★★★


From Miners For Miners






"You want **Gold?** Then go get it. Gold is for those that get up."



START





PROFESSIONAL GOLD DREDGES 2022



FROM MINERS FOR MINERS
WWW.TAMBANG.ID



Scylla STD

Professional Gold Dredge [6 inch]

- Double Motor (2 x 13 hp) / gasoline
- Tsunami Nozzle: 6 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: ø 6 inch (6 m)
- Pressure Hose (14 m)
- All pumps and hoses included.
- 1 Set: Diving Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar




seperti 55 - 65 orang pendulang

SLUICE SYSTEM

Primary Sluice:
180 x 70 x 18 cm

- STD Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Quick Handle Bars
- 7 Inch Flare
- Multi EXP Segment
- 2 x Hungarian Riffles



Google Rating
4.9 ★★★★★

From Miners For Miners




Scylla XT

Concentrating Gold Dredge [6 inch]



- Double Motor (2 x 13 hp) / gasoline
- Double Sluice System
- Tsunami Nozzle: 6 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: ø 6 inch (6 m)
- Pressure Hose (14 m)
- All pumps and hoses included.
- Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene pontoons.



- emas sangat halus
- emas halus
- emas sedang
- emas kasar



seperti 55 - 65 orang pendulang


SLUICE SYSTEM

Primary Sluice:
180 x 70 x 18 cm

Secondary Sluice:
Yes

- Xstream XT Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Concentrator Feeder Box

- Quick Handle Bars
- Catch Bucket
- Auto Reprocessing
- Concentrating Sluice
- Multi (3) EXP Segment
- 3 x Hungarian Riffles



Google Rating
4.9 ★★★★★

From Miners For Miners



Aventurer

Scouting Gold Dredge [5 inch]



- Focus Power (13 hp) / gasoline
- Segmented Sluice System
- Tsunami Nozzle: 5 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: \varnothing 5 inch (6 m)
- Pressure Hose (7 m)
- All pumps and hoses included.
- 1 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar



seperti 25 - 45 orang pendulang


SLUICE SYSTEM

Primary Sluice:
150 x 60 x 18 cm

Secondary Sluice:
Yes

- *Slim Focus Set Up*
- *Scouting Dredge*
- *Subflow Nugget Trap*
- *Stream Equalizer*
- *Slick Plates*

- *Quick Handle Bars*
- *Multi EXP Segment*
- *Hungarian Riffles*
- *Diversified Sluice Matting*



Google Rating
4.9 ★★★★★

From Miners For Miners



Taipan Dredge

Scouting Gold Dredge [4 inch]



- Focus Power (9 hp) / gasoline
- Segmented Sluice System
- Tsunami Nozzle: 4 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: ø 4 inch (6 m)
- Pressure Hose (7 m)
- All pumps and hoses included.
- 1 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar




seperti 15 - 35 orang pendulang

SLUICE SYSTEM

Primary Sluice:
140 x 50 x 16 cm

- Slim Focus Set Up
- Scouting Dredge
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Quick Handle Bars
- Multi EXP Segment
- Hungarian Riffles
- Diversified Sluice Matting
- Small but efficient.



Google Rating
4.9 ★★★★★

From Miners For Miners



Spyro STD

Professional Gold Dredge [8 inch]



- Double Motor (2 x 16 hp) / Gasoline
- Tsunami Nozzle: 8 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: 6 m
- All pumps and hoses included.
- 2 sets: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas halus
- emas sedang
- emas kasar



seperti 65 - 75 orang pendulang

SLUICE SYSTEM

Primary Sluice:
200 x 80 x 18 cm

- Spyro STD
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Quick Handle Bars
- Full Segmentation
- Multi (3) EXP Segment
- 3 x Hungarian Riffles
- Plug & Play



Google Rating
4.9 ★★★★★

From Miners For Miners



Spyro XT

Concentrating Gold Dredge [8 inch]




- Double Motor (2 x 16 hp) / gasoline
- Double Sluice System
- Tsunami Nozzle: 8 Inch
- Blaster Nozzle Feature: Yes
- Material Hose (6 m)
- Pressure Hose (14 m)
- All pumps and hoses included.
- 2 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas sangat halus
- emas halus
- emas sedang
- emas kasar



seperti 65 - 75 orang pendulang



SLUICE SYSTEM

Primary Sluice:
200 x 80 x 18 cm

Secondary Sluice:
Yes

- Xstream XT Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Concentrator Feeder Box
- Quick Handle Bars
- Catch Bucket
- Auto Reprocessing
- Concentrating Sluice
- Multi (3) EXP Segment
- 3 x Hungarian Riffles



Google Rating
4.9 ★★★★★

From Miners For Miners



Xstream Dragon

Production & Concentrating Gold Dredge [8 inch]

- Triple Motor (3 x 22 hp) / gasoline
- Double Sluice System
- Tsunami Nozzle: 8 Inch
- Blaster Nozzle Feature: Yes
- Material Hose: \varnothing 8 inch (6 m)
- Pressure Hose (22 m)
- All pumps and hoses included.
- 3 set: Goggles, Regulator, Snorkel, Mask.
- Rugged High Density Polyethylene Pontoons.



- emas sangat halus
- emas halus
- emas sedang
- emas kasar



seperti 70 - 85 orang pendulang

SLUICE SYSTEM

Primary Sluice:
360 x 100 x 28 cm

Secondary Sluice: Yes

- Massive Capacity Set Up
- Subflow Nugget Trap
- Stream Equalizer
- Slick Plates
- Diversified Sluice Matting
- Concentrator Feeder Box


- Quick Handle Bars
- Catch Bucket
- Auto Reprocessing
- Concentrating Sluice
- Multi (3) EXP Segment
- 3 x Hungarian Riffles



Google Rating
4.9 ★★★★★

From Miners For Miners





KARPET (MAT) TAMBANG EMAS 2022

FROM MINERS FOR MINERS
WWW.TAMBANG.ID



ATMP Xtra Mat

Kategori: Karpet Emas Profesional.

Khusus: Semua ukuran emas.

**Aplikasi: kasbok, sluice box, karpet, asbuk, stik
68 x 25.4 cm / unit**

Karpet khusus untuk menambang emas. Awet dari karet sekeras karet ban. Tahan lama. Dan tidak perlu sering dicuci seperti karpet tambang emas biasa. Untuk menambang emas, emas disekitar sungai dan endapan emas alluvial / plaser.

Jangan menggunakan karpet **XTra Gold** kalau tidak mau mencapai efisiensi yang luar biasa. Inii hanya untuk penambang emas yang ingin mencapai hasil istimewa.

TEKNOLOGI / FITUR



1. Fine Trap Riffles (utk emas halus)
2. Medium Trap Riffles (utk mas sedang)
3. Coarse Trap Riffles (utk emas kasar)
4. Hungarian Riffles
5. Alternating Riffles (Segmentasi)
6. Tahan matahari, air, minyak dan abrasi.
7. Desain karpet emas yang **berdasarkan Sains**

FUNGSI / EFEK

1. **Akurasi** optimal
2. **Efisiensi** penangkapan emas ekstrim
3. Mampu menangkap emas sangat halus.
4. Mampu menangkap emas halus.
5. Mampu menangkap emas ukuran sedang.
6. Mampu menangkap emas ukuran kasar (Gold Nugget).

Kalau mau biasa biasa saja, pakai karpet biasa biasa saja.

Kalau mau mencapai efisiensi luar biasa, pakai karpet luar biasa ini.



Google Rating
4.9 ★★★★★

From Miners For Miners





CGM Gold Mat

Kategori: **Karpet Emas**

Khusus: Emas kasar

Aplikasi: kasbok, sluice box, karpet, asbuk, stik

Unit: 50 x 100 cm (bisa meteran, bisa custom cut)


Karpet emas CGM adalah karpet **husus untuk emas kasar**. Butiran dan gumpalan emas. CGM adalah segment pertama di kasbok agar emas kasar bisa ditangkap dalam CGM tanpa diganggu pasir hitam, pasir besi dan material lain yang biasanya bisa menutupi karpet emas biasa.

Rekomendasi:

Paling optimal CGM digunakan dalam sluice box (kasbok) yang sudah menggunakan EXP Plates and hungarian riffles agar posisi mat tidak bisa bergeser serta emas dan air dalam kasbok sudah dialirkan secara profesional dalam kasbok.

Kualitas:

Materialnya CGM sangat keras tapi fleksibel dan bisa dijadikan rol. Dibuat khusus untuk industri. Material tahan tekanan, kepasanan, minyak dan air. Maka karpet ini akan melayani Anda beberapa tahun tanpa harus dirawat.





FGM Gold Mat

Kategori: **Karpet Emas**

Khusus: Emas halus - halus sekali

Aplikasi: kasbok, sluice box. karpet, asbuk, stik


Unit: 50 x 100 cm

Karpet emas FGM adalah karpet **khusus untuk emas halus**. Emas dalam bentuk debu, pasir dan butiran halus. FGM adalah segment terakhir di kasbok agar emas halus bisa ditangkap dalam FGM tanpa diganggu material yang kasar.

Pemakaian:

FGM disediakan per lembar. Kalau perlu lebih dari satu lembar maka beberapa unit bisa ditaruh dalam kasbok. Ketika menggunakan beberapa lembar maka harus ada overlap sebesar 5 cm dari mat pertama dengan mat kedua.

Paling optimal FGM digunakan dalam sluice box (kasbok) yang sudah menggunakan EXP Plates and hungarian riffles agar posisi mat tidak bisa bergeser serta emas dan air dalam kasbok sudah dialirkan secara profesional dalam kasbok.



Google Rating
4.9 ★★★★★

From Miners For Miners





MLGM Pro Mat



Kategori: **Karpet Emas Profesional**

Khusus: Profesional Multi Level Sluicing. Emas halus.

Aplikasi: kasbok, sluice box. karpet, asbuk, stik

Unit: 50 x 100 cm

Karpet emas MLGM adalah karpet khusus **untuk emas halus**

dan sedang. MLGM berlapis. Material akan disaring oleh lapisan atas. Kotor, tanah dll tidak bisa menembus sampai ke lapisan kedua. Karena emas berat maka hanya emas dan logam berat akan tembus sampai ke lapisan kedua di mana emas sudah ditangkap dan tidak diganggu oleh material lain lagi. MLGM adalah **sistem profesional** yang diuji secara ilmiah dan dikenal dengan standard efisiensi khusus yaitu **Clarkson Standard**. Standard itu **terbukti** mencapai **efisiensi ekstraksi emas** halus yang **paling tinggi**.


Pemakaian:

MLGM disediakan per meter dan termasuk **2 lapisan**.

1. Filtration layer.
2. Catch layer.

Kualitas:

MLGM adalah sistem yang berdasarkan **Sains** dan sudah diuji dan dipakai oleh kalangan penambang emas profesional sejak puluhan tahun. Di Indonesia hanya perusahaan dan penambang yang ingin mencapai **efisiensi optimal** menggunakan karpet ini.



Google Rating
4.9 ★★★★★

From Miners For Miners



"You want **Gold?** Then go get it. Gold is for those that get up."



ATM Promining

Gold Mining Center Indonesia

Google Rating

4.9 ★★★★★

- Quality
- Efficiency
- Experience
- Passion



PT Xpertum Henze Karsa

Headquarters Jakarta

Kawasan Epicentrum. South Walk Epiwalk. F/3. A306-307
Jl. H. R. Rasuna Said. Karet Kuningan. Jakarta

Shop / Service Point Jakarta

Jl. Mampang Prapatan Raya. No. 39. C5., Mampang Prapatan
Raya. Jakarta Selatan.

Dedicated Divisions

info@tambang.id
www.tambang.id

Telephone: 021 - 7992-077
Mobile / WA: 0812 - 8940-1406
Mobile / WA: 0899 - 4181-142





Apa ada pertanyaan?

Apa Anda masih bingung alat yang mana yang cocok untuk Bapak?
Tidak masalah.

Silahkan hubungi kami langsung. Kita bantu.

Tambang harus dimulai dengan pengetahuan. Anda harus bisa menjawab pertanyaan-pertanyaan dasar berikut sehingga kami dapat membuat rekomendasi yang tepat untuk Anda.

1. Jenis emas apa yang Anda miliki di lokasi?
2. Berapa ukuran minimum dan maksimum emas Anda?
3. Seperti apa lokasinya?
4. Berapa banyak materi yang Anda ingin proses per jam atau hari?
5. Berapa banyak emas yang Anda miliki per m³ atau ton bahan? (ppm)

Do you have questions?

Or you don't know which gear is suitable for you? No problem.

Just contact us and we help you out.

Mining starts with knowledge. You need to be able to answer the following basic questions so that we can make a proper recommendation for you.

1. What type of Gold do you have at site?
2. The Gold's minimum and maximum size?
3. What is the location like?
4. How much material do you want to process per hour or day?
5. How much Gold do you have per m³ or ton material? (ppm)

*If you are a professional miner or geologist we will talk your language with you. If you are a novice miner we will use **simple, understandable language**. No worries.*



Google Rating
4.9 ★★★★★

From Miners For Miners